

2026 BMC 257 AL Two - Powder Sand - Specifications

Frameset

Frame:

257 Premium Aluminium | Smoothwelded | Staggered Top Tube | Powder Coat Finish | Internal Cable Routing | Flat Mount Disc | 12 x 142mm Thru-Axle

Fork:

257 Premium Aluminium | Fender Mounts | Flat Mount Disc | 12 x 100mm Thru-Axle

Cockpit

Stem:

BMC MSM 01

Handlebar:

Lightskin with Integrated Lights

Seat

Seatpost:

Lightskin with Integrated Lights

Saddle:

Selle Royal Vivo Women's

Drivetrain

Crankset:

SRAM Apex 1

Chainrings:

SRAM Apexrings

Cassette:

SRAM PG-1130

Cassette Size:

11-42T

Chain:

SRAM Apex

Rear Derailleur:

SRAM APEX 1 Long Cage

Shifters:

SRAM SL APEX Trigger

Gears:

1 x 11

Bottom Bracket:

BSA Threaded Bottom Bracket

Brakes**Brake Levers / Calipers:**

SHIMANO BR-U300 | MT200 Levers

Rotors:

RT10 Rotors

Rotor Size (F/R):

180 / 180

Wheels**Rims:**

SR500

Hubs (F/R):

CL-712 | RXC-142S

Tires:

Pirelli Angel GT | 37mm

Additional Information**Tire Clearance:**

42mm measured tire

Weight without Pedals:

13.35 kg | Size M

ASTM Classification:

Level 2

System Weight Limit:

120kg