

# 2026 BMC 257 AMP AL Speed One USA - Powder Anthracite - Specifications

## Frameset

### Frame:

257 AMP Premium Aluminium | Smoothwelded | Integrated Battery | Internal Cable Routing | Powder Coat Finish | Post Mount Disc | 12 x 142mm Thru-Axle

### Fork:

257 Premium Aluminium | Fender Mounts | Post Mount Disc | 12 x 100mm Thru-Axle

## E-System

### Drive Unit:

Bosch Performance Line Speed

### Battery Pack:

Bosch PowerTube | 625 Wh | Certified by Intertek Testing Services NA, Inc.

### Display:

Bosch Kiox

### Drive Unit Control:

Bosch Kiox

### Charger:

Bosch Compact Charger

## Cockpit

### Stem:

ICS MTT x Redshift Suspension Stem | Integrated Cockpit System Technology

### Handlebar:

BMC LSB 01

### Seat

### Seatpost:

BMC LSP 02

### Saddle:

Selle Royal Vivo

## **Drivetrain**

### **Crankset:**

Miranda Classic x Bosch | CF3D

### **Chainrings:**

46T

### **Cassette:**

SHIMANO CUES (CS-LG700-11)

### **Cassette Size:**

11-50T

### **Chain:**

SHIMANO CUES CN-LG500

### **Rear Derailleur:**

SHIMANO CUES (RD-U8000)

### **Shifters:**

SHIMANO CUES (SL-U8000)

### **Gears:**

1 x 11

## **Brakes**

### **Brake Levers / Calipers:**

TEKTRO TRP HD

### **Rotors:**

TEKTRO

### **Rotor Size (F/R):**

180 / 160mm

## **Wheels**

### **Rims:**

E-SRX30

**Hubs (F/R):**

CL-712 | ECT-142S

**Tires:**

Pirelli Angel GT | 37mm

**Additional Information**

**Tire Clearance:**

42mm measured tire

**ASTM Classification:**

Level 2

**System Weight Limit:**

120kg