

2026 BMC Fourstroke AMP LT One USA - Acid Yellow / Black - Specifications

Frameset

Frame:

Fourstroke LT AMP Carbon | APS Suspension System | 120mm Travel | Integrated Battery | Fully Guided Internal Cable Routing | Post Mount Disc | 12 x 148mm Boost Thru-Axle

Suspension

Front Suspension:

RockShox SID Select+ 3P | 120mm Travel

Rear Suspension:

RockShox SIDLUXE Select+ 3P

E-System

Drive Unit:

TQ-HPR50 Drive Unit

Battery Pack:

TQ Battery | 360 Wh | Certified by UL LLC

Display:

TQ Display | 2" O-LED | Bluetooth / ANT+

Drive Unit Control:

TQ Remote

Charger:

TQ-HPR50 4A Charger

Cockpit

Stem:

Truvativ Atmos 7K

Handlebar:

BMC MRB 01 Riser Bar Carbon | 760mm

Seat

Seatpost:

Bikeyoke Divine

Saddle:

Fizik Antares R5

Drivetrain**Crankset:**

Praxis Carbon eCrank | SRAM X Sync

Chainrings:

34T

Cassette:

SRAM XS-1275 Eagle Transmission (CS-XS-1275-A1)

Cassette Size:

10-52T

Chain:

SRAM GX Eagle Transmission Flattop

Rear Derailleur:

SRAM GX Eagle Transmission

Shifters:

SRAM AXS Pod Controller

Gears:

1 x 12

Brakes**Brake Levers / Calipers:**

SRAM G2 RSC

Rotors:

SRAM HS2 | Centerlock

Rotor Size (F/R):

180 / 180mm

Wheels

Rims:

DT Swiss XRC 1501 | 30mm Inner Width

Hubs (F/R):

DT Swiss 240 Straightpull | Ratchet EXP 36

Tires:

Maxxis Rekon 2.4" | EXO TR

Tubeless Information:

Tubeless Ready Rims | Tubetype Tires

Additional Information

Tire Clearance:

60mm measured tire

Weight without Pedals:

16.00 kg | Size M

ASTM Classification:

Level 3

System Weight Limit:

110kg