

2026 BMC Fourstroke LT Two - Sparkling Dark Petrol / Sand - Specifications

Frameset

Frame:

Fourstroke LT Carbon | APS Suspension System | 120mm Travel | Fully Guided Internal Cable Routing | Post Mount Disc | 12 x 148mm Boost Thru-Axle

Suspension

Front Suspension:

RockShox SID Select 3P | 120mm Travel

Rear Suspension:

RockShox SIDLUXE Select+ 3P

Cockpit

Stem:

Truvativ Atmos 6K

Handlebar:

BMC MRB 03 | 760mm

Seat

Seatpost:

X-Fusion Manic

Saddle:

Fizik Antares R5

Drivetrain

Crankset:

SHIMANO Deore (6100)

Chainrings:

32T

Cassette:

SHIMANO Deore (CS-M6100)

Cassette Size:

10-51T

Chain:

SHIMANO CN-M6100

Rear Derailleur:

SHIMANO SLX (RD-M7100)

Shifters:

SHIMANO SLX (SL-M7100)

Gears:

1 x 12

Bottom Bracket:

PF92 Bottom Bracket

Brakes

Brake Levers / Calipers:

SHIMANO BR-MT520 | BL-MT520 Calipers

Rotors:

SHIMANO SM-RT30 | Centerlock

Rotor Size (F/R):

180 / 180mm

Wheels

Rims:

Alex MD30 | 30mm Inner Width

Hubs (F/R):

DC-711 (F) | DC-3248 (R)

Tires:

Maxxis Rekon 2.4" | EXO TR

Tubeless Information:

Tubeless Ready Rims | Tubetype Tires

Additional Information

Tire Clearance:

62mm measured tire

ASTM Classification:

Level 3

System Weight Limit:

110kg