

2026 BMC Fourstroke R 01 One - Carbon / Firestorm - Specifications

Frameset

Frame:

Fourstroke R 01 | 01 Premium Carbon with Autodrop Technology | APS Suspension System | 120mm Travel | Fully Guided Internal Cable Routing | Post Mount Disc | 12 x 148mm Boost Thru-Axle

Fork:

Öhlins RXC34 Carbon | 120mm Travel | DT Swiss Remote Lockout | 44mm offset

Suspension

Front Suspension:

Öhlins RXC34 Carbon | 120mm Travel | DT Swiss Remote Lockout | 44mm offset

Rear Suspension:

Öhlins TXC2 Air | 120mm Travel | DT Swiss Remote Lockout

Remote Lockout:

DT Swiss Remote Lockout

Cockpit

Handlebar:

ICS Carbon XC | One-Piece Full Carbon Cockpit | 760mm width | 3° Up sweep | 8° Back sweep | -19° Stem angle

Seat

Seatpost:

BMC Autodrop Integrated Dropper Seatpost | 80mm Drop

Saddle:

Prologo Dimension NDR Nack

Drivetrain

Crankset:

SRAM XX SL Eagle Carbon

Chainrings:

34T

Power Meter:

SRAM XX SL Power Meter

Cassette:

SRAM XX SL Eagle Transmission XS-1299

Cassette Size:

10-52T

Chain:

SRAM XX SL Eagle Transmission Flattop

Rear Derailleur:

SRAM XX SL Eagle Transmission

Shifters:

SRAM AXS Pod Controller

Gears:

1 x 12

Bottom Bracket:

PF92 Bottom Bracket

Brakes**Brake Levers / Calipers:**

SRAM Motive Ultimate (DB-MOTV-ULT-A1)

Rotors:

SRAM HS2 | Centerlock

Rotor Size (F/R):

180 / 180mm

Wheels**Rims:**

DT Swiss XRC 1200 | 30mm Inner Width

Hubs (F/R):

DT Swiss

Tires:

Vittoria Mezcal | Tubeless | 2.35"

Tubeless Information:

Tubeless Ready Rims | Tubetype Tires

Accessories**In the Box:**

Computer mount for Garmin and Wahoo

Additional Information**Tire Clearance:**

62mm measured tire

Weight without Pedals:

11.0kg | Size M as pictured with all accessories

ASTM Classification:

Level 3

System Weight Limit:

110kg