

# 2026 BMC Fourstroke Two - Arctic Silver / Black - Specifications

## Frameset

### Frame:

Fourstroke Carbon | APS Suspension System | 100mm Travel | Fully Guided Internal Cable Routing | Post Mount Disc | 12 x 148mm Boost Thru-Axle

### Fork:

Fox Float 34 Step Cast Performance | 110mm Travel

## Suspension

### Front Suspension:

Fox Float 34 Step Cast Performance

### Rear Suspension:

Fox Float DPS Performance

### Remote Lockout:

DT Swiss Remote Lockout

## Cockpit

### Stem:

BMC MSM 01

### Handlebar:

BMC MFB 02 Alloy | 750mm

## Seat

### Seatpost:

Bikeyoke Divine

### Saddle:

Fizik Antares R7

## Drivetrain

### Crankset:

SRAM GX Eagle

**Chainrings:**

34T

**Cassette:**

SRAM XG-1275 Eagle

**Cassette Size:**

10-52T

**Chain:**

SRAM GX Eagle

**Rear Derailleur:**

SRAM GX Eagle

**Shifters:**

SRAM GX Eagle

**Gears:**

1 x 12

**Bottom Bracket:**

PF92 Bottom Bracket

**Brakes****Brake Levers / Calipers:**

SRAM Level TL

**Rotors:**

SRAM Centerline Rotors

**Rotor Size (F/R):**

160 / 160 S-M | 180 / 160 L-XL

**Wheels****Rims:**

DT Swiss XR 1700 | 25mm Inner Width

**Hubs (F/R):**

DT Swiss 350 Straightpull | Ratchet 36 SL

**Tires:**

Vittoria Mezcal | 2.35"

**Tubeless Information:**

Tubeless Ready Rims | Tubetype Tires

**Additional Information****Tire Clearance:**

62mm measured tire

**ASTM Classification:**

Level 3

**System Weight Limit:**

110kg