

2026 BMC Roadmachine 01 AMP One USA - Green / Red - Specifications

Frameset

Frame:

Roadmachine 01 AMP Premium Carbon with Tuned Compliance Concept Endurance | Integrated Battery | Internal Cable Routing | ICS Technology Stealth Cable Routing | Fender Mounts | Flat Mount Disc | 12 x 142mm Thru-Axle

Fork:

Roadmachine 01 AMP | 01 Premium Carbon with Tuned Compliance Concept Endurance | Internal Cable Routing | Flat Mount Disc | 12 x 100mm Thru-Axle

E-System

Drive Unit:

TQ-HPR50 Drive Unit

Battery Pack:

TQ Battery | 360 Wh | Certified by UL LLC

Display:

TQ Display | 2" O-LED | Bluetooth / ANT+

Drive Unit Control:

Charger:

TQ-HPR50 4A Charger

Cockpit

Stem:

BMC ICS2 | Integrated Cockpit System Technology

Handlebar:

BMC RAB 02 | Ergo Top Shape | Compact Bend

Seat

Seatpost:

Roadmachine 01 AMP Premium Carbon D-Shaped Seatpost | 15mm Offset | D-Fender Compatible

Saddle:

Fizik Argo Tempo R1 | 150mm

Drivetrain

Crankset:

Rotor eVegast

Chainrings:

50-34T

Cassette:

SHIMANO Ultegra

Cassette Size:

11-30T

Chain:

SHIMANO CN-M8100

Front Derailleur:

SHIMANO Ultegra Di2 (FD-R8150)

Rear Derailleur:

SHIMANO Ultegra Di2 (RD-R8150)

Shifters:

SHIMANO Ultegra Di2 (ST-R8170)

Gears:

2 x 12

Brakes

Brake Levers / Calipers:

SHIMANO Ultegra (BR-R8170)

Rotors:

SHIMANO RT-MT800 / RT-EM810 | Centerlock

Rotor Size (F/R):

180 / 180mm

Wheels

Rims:

CRD-400 SL Carbon | Tubeless Ready | 40mm

Hubs (F/R):

CRD-400 SL

Tires:

Pirelli Cinturato Velo TLR | 32mm

Tubeless Information:

Tubeless Ready Rims | Tubetype Tires

Accessories**In the Box:**

Integrated Rear Light

Additional Information**Tire Clearance:**

up to "38mm measured" (frameset clearance) but limited to "34mm measured" by the front derailleur

Weight without Pedals:

12.5 Kg

ASTM Classification:

Level 2

System Weight Limit:

120kg