

2026 BMC Roadmachine Two - Metallic White - Specifications

Frameset

Frame:

Roadmachine Gen 3 | Advanced Carbon with Tuned Compliance Concept Endurance | ICS Technology Stealth Cable Routing | Fender Mounts | Integrated Downtube Storage | Full Mount - UDH | 12 x 142mm Thru-Axle

Fork:

Roadmachine Gen 3 | Advanced Carbon with Tuned Compliance Concept Endurance | Internal Cable Routing | Fender Mounts | Flat Mount Disc | 12 x 100mm Thru-Axle | 50mm offset Size 47-51 | 45mm offset Size 54-61

Cockpit

Stem:

BMC RSM 01 | Integrated Cockpit System Technology

Handlebar:

BMC HB D4 03, 0, 12 | Alloy 6061 | Endurance Geometry | 125mm drop, 70mm reach, 12° flare

Grips:

BMC Tacky 3mm

Seat

Seatpost:

Roadmachine Carbon D-Shaped Seatpost | 0mm Offset Size 47-51 and 15mm Offset Size 54-61 | D-Fender Compatible

Saddle:

Selle Italia Model X Greentech | FeC Alloy Rail | 145mm

Drivetrain

Crankset:

SHIMANO 105 (FC-R7100)

Chainrings:

50-34T

Cassette:

SHIMANO (CS-HG710)

Cassette Size:

11-36T

Chain:

SHIMANO CN-M6100

Front Derailleur:

SHIMANO 105 Di2 (FD-R7150)

Rear Derailleur:

SHIMANO 105 Di2 (RD-R7150)

Shifters:

SHIMANO 105 Di2 (ST-R7170)

Gears:

2 x 12

Bottom Bracket:

SHIMANO Press-Fit Bottom Bracket (BB-RS500-PB)

Brakes

Brake Levers / Calipers:

SHIMANO 105 (BR-R7170)

Rotors:

SHIMANO 105 (RT-CL700)

Rotor Size (F/R):

160 / 160mm

Wheels

Rims:

PRD23 | 23mm

Hubs (F/R):

SHIMANO HB-TC500-12 & FH-TC500-HL | Center Lock| 28H

Tires:

Vittoria Rubino V | Tube type | 32mm

Tubeless Information:

Non-Tubeless Rims | Tubeless Clincher Tire

Accessories

In the Box:

Integrated Rear Light 25 | Storage Pouch

Additional Information

Tire Clearance:

up to "40mm measured" (frameset clearance) but limited to "34mm measured" by the front derailleur

Weight without Pedals:

9.0kg | Size 54 as pictured with all accessories

ASTM Classification:

Level 2

System Weight Limit:

110kg