

2026 BMC Speedmachine 01 One - Carbon / Dust Gold - Specifications

Frameset

Frame:

Speedmachine 01 Premium Carbon | ICS Technology Stealth Cable Routing | Integrated Fuel Tank 1200 Hydration System | Integrated Rear Storage 260 | Stealth Dropout Design | Flat Mount Disc | 142x12mm Thru-Axle

Fork:

Speedmachine 01 Premium Carbon | ICS Technology | Stealth Cable Routing | Stealth Dropout Design | Flat Mount Disc | 100 x 12mm Thru-Axle

Cockpit

Handlebar:

BMC Speedmachine Flat Cockpit | Profile Design Aeria Ultimate with Ergo+ Armrests and 45/25 SLC Aerobar Extensions

Seat

Seatpost:

Speedmachine 01 | 01 Premium Carbon Aero Seatpost | 0mm, 12.5mm, 25mm Offsets

Saddle:

Fizik Transiro Aeris Long Distance R3

Drivetrain

Crankset:

SRAM Red AXS (FC-RED-P-E1)

Chainrings:

50-37T

Power Meter:

SRAM Red AXS Power Meter (FC-RED-P-E1)

Cassette:

SRAM Red (CS-XG-1290-E1)

Cassette Size:

10-33T

Chain:

SRAM RED (CN-RED-E1)

Front Derailleur:

SRAM RED AXS (FD-RED-E-E1)

Rear Derailleur:

SRAM Red AXS (RD-RED-E-E1)

Shifters:

SRAM Blip AXS Wireless 4 units

Gears:

2 x 12

Bottom Bracket:

SRAM T47x68 DUB

Brakes

Brake Levers / Calipers:

SRAM S-900 Aero HRD Disc Brake (DB-S-900-A1)

Rotors:

SRAM Paceline X | Centerlock

Rotor Size (F/R):

160 / 160mm

Wheels

Rims:

DT Swiss ARC 1100 DICUT | 85mm

Hubs (F/R):

DT Swiss 180 DICUT | Ratchet EXP 36

Tires:

Pirelli P Zero Race TLR RS | Tubeless | 26mm front, 28mm rear

Tubeless Information:

Tubeless Rim | Tubeless Tires

Accessories

In the Box:

Fuel Tank 1200 with straw and bite valve | Rear Storage 260 | Intergrated Rear Light 25

Additional Information

Tire Clearance:

30mm measured tire

Weight without Pedals:

9.1kg | Size M as pictured with all accessories

ASTM Classification:

Level 1

System Weight Limit:

110kg