

# 2026 BMC Teammachine SLR Four - Black - Specifications

## Frameset

### Frame:

Teammachine SLR Carbon with Aerocore Design | ICS Technology Stealth Cable Routing | Stealth Dropout Design | TCC Race compliance level | Flat Mount Disc | 12 x 142mm Thru-Axle | Optimized for Aerocore Bottle Cages

### Fork:

Teammachine SLR Carbon | ICS Technology Stealth Cable Routing | TCC Race Compliance Level | Stealth Dropout Design | Flat Mount Disc | 12 x 100mm Thru-Axle | 48mm offset Size 47-51 | 43mm offset Size 54-61

## Cockpit

### Stem:

BMC RSM 01 | Integrated Cockpit System Technology

### Handlebar:

BMC RAB 02 | Ergo Top Shape | Compact Bend [or] BMC HB D4 03, 0, 6 | Alloy 6061 | 135mm drop, 70mm reach, 6° flare

## Seat

### Seatpost:

Teammachine SLR Carbon D-Shaped Seatpost | 15mm Offset

### Saddle:

Fizik Antares R7 | S-Alloy rail 140mm [or] Selle Italia Model X Superflow | FeC Alloy rail | 145mm

## Drivetrain

### Crankset:

SHIMANO 105 (FC-R7100)

### Chainrings:

50-34T

### Cassette:

SHIMANO 105 (CS-R7101)

### Cassette Size:

11-34T

**Chain:**

SHIMANO CN-M6100

**Front Derailleur:**

SHIMANO 105 (FD-R7100)

**Rear Derailleur:**

SHIMANO 105 (RD-R7100)

**Shifters:**

SHIMANO 105 (ST-R7120)

**Gears:**

2 x 12

**Bottom Bracket:**

SHIMANO Press-Fit Bottom Bracket (BB-RS500-PB)

**Brakes****Brake Levers / Calipers:**

SHIMANO 105 (BR-R7170)

**Rotors:**

SHIMANO SM-RT70 | Centerlock

**Rotor Size (F/R):**

160 / 160mm

**Wheels****Rims:**

PRD23 | 23mm

**Hubs (F/R):**

SHIMANO HB-TC500-12 & FH-TC500-HL | Center Lock| 28H

**Tires:**

Pirelli P7 Sport | 26mm

**Tubeless Information:**

Non-Tubeless Rims | Non-Tubeless Clincher Tire

## **Additional Information**

### **Tire Clearance:**

30mm measured tire

### **Weight without Pedals:**

8.5kg | Size 54 as pictured with all accessories

### **ASTM Classification:**

Level 1

### **System Weight Limit:**

110kg