

2026 BMC Teammachine SLR One - Light Blue Chrome - Specifications

Frameset

Frame:

Teammachine SLR Gen 5 | Advanced Carbon with Aerocore Design | ICS Technology Stealth Cable Routing | Full Mount - UDH | TCC Race compliance level | Flat Mount Disc | 12 x 142mm Thru-Axle | Optimized for Aerocore Bottle Cages

Fork:

Teammachine SLR Gen 5 | Advanced Carbon | ICS Technology Stealth Cable Routing | TCC Race Compliance Level | Stealth Dropout Design | Flat Mount Disc | 12 x 100mm Thru-Axle | 48mm offset Size 47-51 | 43mm offset Size 54-61

Cockpit

Stem:

BMC RSM 01 | Integrated Cockpit System Technology

Handlebar:

BMC HB D4 03, 0, 6 | Alloy 6061 | Race Geometry | 135mm drop, 70mm reach, 6° flare

Grips:

BMC Tacky 3mm

Seat

Seatpost:

Teammachine SLR 01 Gen 5 | Advanced Carbon Aero Shaped Seatpost | 0mm Offset Size 47-51 and 10mm Offset Size 54-61

Saddle:

Selle Italia Model X Greentech | FeC Alloy Rail | 145mm

Drivetrain

Crankset:

SHIMANO Ultegra (FC-R8100)

Chainrings:

52-36T

Cassette:

SHIMANO Ultegra (CS-R8101)

Cassette Size:

11-34T

Chain:

SHIMANO CN-M8100

Front Derailleur:

SHIMANO Ultegra Di2 (FD-R8150)

Rear Derailleur:

SHIMANO Ultegra Di2 (RD-R8150)

Shifters:

SHIMANO Ultegra Di2 (ST-R8170)

Gears:

2 x 12

Bottom Bracket:

SHIMANO Press-Fit Bottom Bracket (BB-RS500-PB)

Brakes

Brake Levers / Calipers:

SHIMANO Ultegra (BR-R8170)

Rotors:

SHIMANO SM-RT70 | Centerlock

Rotor Size (F/R):

160 / 160mm

Wheels

Rims:

AR 27 | Tubeless Ready | 27mm

Hubs (F/R):

CL-712 & RXC-142S Center Lock

Tires:

Contiental Grand Prix TR | Tubeless | 28mm

Tubeless Information:

Tubeless Rim | Tubeless Tires

Additional Information

Tire Clearance:

32mm measured tire

Weight without Pedals:

8.3kg | Size 54 as pictured with all accessories

ASTM Classification:

Level 1

System Weight Limit:

110kg