

2026 BMC Teammachine SLR Two - Iron Grey - Specifications

Frameset

Frame:

Teammachine SLR Carbon with Aerocore Design | ICS Technology Stealth Cable Routing | Stealth Dropout Design | TCC Race compliance level | Flat Mount Disc | 12 x 142mm Thru-Axle | Optimized for Aerocore Bottle Cages

Fork:

Teammachine SLR Carbon | ICS Technology Stealth Cable Routing | TCC Race Compliance Level | Stealth Dropout Design | Flat Mount Disc | 12 x 100mm Thru-Axle | 48mm offset Size 47-51 | 43mm offset Size 54-61

Cockpit

Stem:

BMC RSM 01 | Integrated Cockpit System Technology

Handlebar:

BMC HB D4 03, 0, 6 | Alloy 6061 | Race Geometry | 135mm drop, 70mm reach, 6° flare

Seat

Seatpost:

Teammachine SLR Carbon D-Shaped Seatpost | 15mm Offset

Saddle:

Fizik Argo Vento R5 | 140mm

Drivetrain

Crankset:

SHIMANO Ultegra (FC-R8100)

Chainrings:

52-36T

Cassette:

SHIMANO Ultegra (CS-R8101)

Cassette Size:

11-34T

Chain:

SHIMANO CN-M8100

Front Derailleur:

SHIMANO Ultegra Di2 (FD-R8150)

Rear Derailleur:

SHIMANO Ultegra Di2 (RD-R8150)

Shifters:

SHIMANO Ultegra Di2 (ST-R8170)

Gears:

2 x 12

Bottom Bracket:

SHIMANO Ultegra Press-Fit Bottom Bracket (SM-BB72-41B)

Brakes

Brake Levers / Calipers:

SHIMANO Ultegra (BR-R8170)

Rotors:

SHIMANO Ultegra (RT-CL800)

Rotor Size (F/R):

160 / 160mm

Wheels

Rims:

AR 27 | Tubeless Ready | 27mm [or] DT Swiss P1800 | Tubeless Ready | 32mm

Hubs (F/R):

AR 27: CL-712 & RXC-142 Center Lock [or] P 1800: DT Swiss 370 Spline Disc

Tires:

Pirelli P Zero Road | 26mm

Tubeless Information:

Tubeless Rims | Non-Tubeless Clincher Tire

Additional Information

Tire Clearance:

30mm measured tire

Weight without Pedals:

8.0kg | Size 54 as pictured with all accessories

ASTM Classification:

Level 1

System Weight Limit:

110kg