

# 2026 BMC Teammachine SLR Two - Neon Red - Specifications

## Frameset

### Frame:

Teammachine SLR Gen 5 | Advanced Carbon with Aerocore Design | ICS Technology Stealth Cable Routing | Full Mount - UDH | TCC Race compliance level | Flat Mount Disc | 12 x 142mm Thru-Axle | Optimized for Aerocore Bottle Cages

### Fork:

Teammachine SLR Gen 5 | Advanced Carbon | ICS Technology Stealth Cable Routing | TCC Race Compliance Level | Stealth Dropout Design | Flat Mount Disc | 12 x 100mm Thru-Axle | 48mm offset Size 47-51 | 43mm offset Size 54-61

## Cockpit

### Stem:

BMC RSM 01 | Integrated Cockpit System Technology

### Handlebar:

BMC HB D4 03, 0, 6 | Alloy 6061 | Race Geometry | 135mm drop, 70mm reach, 6° flare

### Grips:

BMC Tacky 3mm

## Seat

### Seatpost:

Teammachine SLR 01 Gen 5 | Advanced Carbon Aero Shaped Seatpost | 0mm Offset Size 47-51 and 10mm Offset Size 54-61

### Saddle:

Selle Italia Model X Greentech | FeC Alloy Rail | 145mm

## Drivetrain

### Crankset:

SHIMANO 105 (FC-R7100)

### Chainrings:

52-36T

### Cassette:

SHIMANO (CS-HG710)

**Cassette Size:**

11-36T

**Chain:**

SHIMANO CN-M6100

**Front Derailleur:**

SHIMANO 105 Di2 (FD-R7150)

**Rear Derailleur:**

SHIMANO 105 Di2 (RD-R7150)

**Shifters:**

SHIMANO 105 Di2 (ST-R7170)

**Gears:**

2 x 12

**Bottom Bracket:**

SHIMANO Press-Fit Bottom Bracket (BB-RS500-PB)

**Brakes**

**Brake Levers / Calipers:**

SHIMANO 105 (BR-R7170)

**Rotors:**

SHIMANO SM-RT64 | Centerlock

**Rotor Size (F/R):**

160 / 160mm

**Wheels**

**Rims:**

PRD23 | 23mm

**Hubs (F/R):**

SHIMANO HB-TC500-12 & FH-TC500-HL | Center Lock| 28H

**Tires:**

Contiental Grand Prix | Tube type | 28mm

**Tubeless Information:**

Non-Tubeless Rims | Tubeless Clincher Tire

**Additional Information**

**Tire Clearance:**

32mm measured tire

**Weight without Pedals:**

8.6kg | Size 54 as pictured with all accessories

**ASTM Classification:**

Level 1

**System Weight Limit:**

110kg