

2026 BMC URS 01 LT One - Haze Carbon / Black - Specifications

Frameset

Frame:

URS 01 Gen 2 | 01 Premium Carbon with Micro Travel Technology | Gravel+ Geometry | ICS Technology | Full Mount - UDH | Integrated Storage | Fender and Rack Mounts | Flat Mount Disc | 12 x 142mm Thru-Axle

Fork:

Micro Travel Technology Suspension Fork Premium Carbon blades | 20mm Travel | Coil Spring & Hydraulic Damper | Fender Mounts | Flat Mount Disc | 12 x 100mm Thru-Axle

Suspension

Front Suspension:

Micro Travel Technology Suspension Fork | Premium Carbon Blades | 20mm Travel | Coil Spring & Hydraulic Damper | Cargo Mounts | Fender Mounts | Hub-Dynamo Cable Routing

Rear Suspension:

Micro Travel Technology Stays

Cockpit

Stem:

BMC MSM

Handlebar:

BMC HB D4 03, 0, 16 | Alloy 6061 | Gravel Geometry | 115mm drop, 70mm reach, 16° flare

Grips:

BMC Tacky 3mm

Seat

Seatpost:

URS 01 | 01 Premium Carbon D-Shaped Seatpost | 0mm Offset | D-Fender Compatible

Saddle:

Fizik Vento Argo X5 | 140mm

Drivetrain

Crankset:

SRAM Rival XPLR AXS Wide (FC-RIV-1W-E1)

Chainrings:

38T

Cassette:

SRAM XS-1275 Eagle Transmission (CS-XS-1275-A1)

Cassette Size:

10-52T

Chain:

SRAM GX Eagle Transmission Flattop (CN-TTYP-GX-A1)

Rear Derailleur:

SRAM GX Eagle Transmission (RD-GX-E-B1)

Shifters:

SRAM Rival AXS (ED-RIV-E1)

Gears:

1 x 12

Bottom Bracket:

SRAM DUB PressFit Bottom Bracket (BB-DUB-PF-A1)

Brakes

Brake Levers / Calipers:

SRAM Rival AXS (ED-RIV-E1)

Rotors:

SRAM CenterLine Rotor (RT-CLN-A2)

Rotor Size (F/R):

180 / 160mm

Wheels

Rims:

AG 20 | Tubeless Ready | 20mm

Hubs (F/R):

CL-712 & RXC-1425 Center Lock

Tires:

Continental Terra Adventure Trail Grip | Tubeless | 45mm

Tubeless Information:

Tubeless Rim | Tubeless Tires

Accessories

In the Box:

X-Cages Storage Pouch Cargo Strap

Additional Information

Tire Clearance:

47mm measured tire

Weight without Pedals:

10.5kg | Size M as pictured with all accessories

ASTM Classification:

Level 2

System Weight Limit:

120kg