

2026 BMC URS AMP LT Two USA - Dark Petrol / Black - Specifications

Frameset

Frame:

URS AMP Premium Carbon with Micro Travel Technology | Gravel+ Geometry | Integrated Battery | Internal Cable Routing | Fender and Rack Mounts | Flat Mount Disc | 12 x 142mm Thru-Axle | UDH Dropout Universal Derailleur Hanger

Suspension

Front Suspension:

Micro Travel Technology Suspension Fork | Premium Carbon Blades | 20mm Travel | Coil Spring & Hydraulic Damper | Cargo Mounts | Fender Mounts | Hub-Dynamo Cable Routing

Rear Suspension:

Micro Travel Technology Stays

E-System

Drive Unit:

TQ-HPR50 Drive Unit

Battery Pack:

TQ Battery | 360 Wh | Certified by UL LLC

Display:

TQ Display | 2" O-LED | Bluetooth / ANT+

Drive Unit Control:

Charger:

TQ-HPR50 4A Charger

Cockpit

Stem:

BMC MSM

Handlebar:

Easton EA70 AX

Seat

Seatpost:

URS AMP Premium Carbon D-Shaped Seatpost | 0mm Offset | D-Fender Compatible

Saddle:

WTB Gravelier Steel SL | Medium

Drivetrain

Crankset:

Praxis eCrank Carbon Road | SRAM X-Sync

Chainrings:

40T

Cassette:

SRAM X0 Eagle Transmission XS-1295

Cassette Size:

10-52T

Chain:

SRAM X0 Eagle Transmission Flattop

Rear Derailleur:

SRAM X0 Eagle Transmission

Shifters:

SRAM Force eTap AXS

Gears:

1 x 12

Brakes

Brake Levers / Calipers:

SRAM Force eTap AXS

Rotors:

SRAM Centerline | Centerlock

Rotor Size (F/R):

180 / 160mm

Wheels

Rims:

CRD-400 Carbon | Tubeless Ready | 40mm

Hubs (F/R):

CRD-400

Tires:

WTB Raddler | 44mm

Tubeless Information:

Tubeless Ready Rims | Tubetype Tires

Additional Information

Tire Clearance:

50mm measured tire

Weight without Pedals:

14.2 Kg

ASTM Classification:

Level 2

System Weight Limit:

120kg