

# 2026 Marin Alpine Trail XR - Silver Black - Specifications

Spec and price beign subject to change without notification

## Frame

All New Series 4 6061 Aluminum, 29" Wheels, 160mm Travel MultiTrac LT Suspension Platform, Integrated Downtube Storage, Adjustable Headset & CS Length/BB Height, 148x12mm Boost Thru- Axle, 73mm Threaded BB w/ ISCG05 Tabs

## Front Suspension

RockShox Zeb Ultimate, 170mm Travel, 29", 110x15mm Maxle Stealth, 44mm Offset

## Rear Suspension

RockShox Super Deluxe Coil Ultimate, 205x65, 30xM8 Lower Hardware, Custom Tune, S/M = 350 lbs, L/XL = 450 lbs

## Rim

Marin, Double Wall Alloy, 29mm Inner, Sleeved Joint, Disc Specific, 32H, Tubeless Compatible

## Hub Rear

Formula, DCL-3482, 148x12, 4 Sealed Bearings, 6-Bolt Disc, XD Driver, 32H

## Hub Front

Formula, DC-711, 110x15mm, 6-Bolt Disc, 32h

## Spokes

14g Black Stainless Steel

## Tires

Maxxis Assegai MAXX GRIP, Front 29x2.5 EXO+, Rear 27.5x2.5" DoubleDown, Tubeless compatible

## Derailleur Rear

SRAM GX Eagle Lunar

## Shift Lever

SRAM GX Eagle Lunar MMX Mount

## Crankset

SRAM GX Eagle, 32T, 55MM CL, 170MM Length

## **Bottom Bracket**

SRAM DUB MTB 73

## **Chain**

SRAM NX Eagle

## **Cassette**

SRAM XG 1275 Eagle Cassette 10-52T

## **Brakes Front**

SRAM DB8 4-Piston Hydraulic Disc , HSC 200mm Rotor

## **Brakes Rear**

SRAM DB8 4-Piston Hydraulic Disc , HSC 180mm Rotor

## **Brake Levers**

SRAM DB8 Hydraulic Disc

## **Handlebar**

Marin Trail, 35mm Clamp, 7000 Alloy Bar, 800mm Length, 20mm Rise, 5 Degree Up, 8 Degree Back

## **Stem**

Marin CNC, 35mm Length, 35mm Bar Bore

## **Grips**

Marin Grizzly Lock-On

## **Headset**

FSA Custom Headset, Adjustable HTA Design

## **Seatpost**

TranzX, YSP39 1x Remote, 34.9 Seatpost Diameter, Travel S = 150mm, M/L = 170mm, XL = 200mm

## **Saddle**

Marin Speed Concept

## **Extras**

Bolt-On 12mm Thru-Axle, 174mm Length, 1.0 Thread Pitch, 16.5mm, Tapered Head