

2026 Marin Lombard E2 - Off White - Specifications

Spec and price beign subject to change without notification

Range

14-85 miles / 22-137km

Display

Bosch Purion 400

Battery

Bosch Compact Power Tube 400, 400Wh

Motor

Bosch SX Sprint, 250W, 55Nm, (USA/NZ Class 3 28mph, 45Km/h)(EU/Global Class 1 25km/h)

Fork

Marin Full Carbon w/ Tapered Steerer, 12mm Thru-Axle, Flat-Mount Disc, Fender Eyelets

Frame

All-New Series 4 Beyond Road E, 6061 Aluminum, One-Piece Hydroformed Downtube & Motor Mount, Internal Cable Routing, Mudguard and Rack Mounts, Flat Mount Disc, 142x12mm Thru-Axle

Rim

Marin Aluminum Double Wall, 25mm Inner, 18mm Tall, Disc Specific, Tubeless Compatible

Hub Rear

Forged Aluminum Alloy, 142x12mm, Disc, 32H

Hub Front

Forged Aluminum Alloy, 100x12mm, Disc, 32H

Spokes

14g Black Stainless Steel

Tires

Vee Tire Co., G-Sport, 700x44, Tubeless Compatible

Derailleur Rear

Shimano GRX Di2, RD-RX827, Wireless, 12-speed Wide-Range, Clutch,

Shift Lever

Shimano GRX Di2, STRX825, 12-speed, Wireless

Crankset

e*thirteen e*Spec Plus, Forged Arm, 42T Steel Chainring

Chain

KMC E12S

Cassette

Shimano SLX CSM7100, 10-51T

Brakes Front

Shimano GRX RX820, Flat-Mount Hydraulic Disc, 160mm Rotor

Brakes Rear

Shimano GRX RX820, Flat-Mount Hydraulic Disc, 160mm Rotor

Brake Levers

Shimano GRX Di2, STRX825, 12-speed, Wireless

Handlebar

Marin Butted Alloy, Compact 16° Flared Drop

Stem

Marin 3D Forged Alloy

Grips

Marin Adventure Tape

Headset

FSA No.42 ACB, Sealed Cartridge Bearings, 1 1/8" x 1 1/2"

Seatpost

TranzX YSP38J, Size S-M 70mm, Size L-XL 110mm Travel, 27.2mm

Saddle

Marin Beyond Road Concept Elite

Pedals

Nylon Platform

Extras

Removable kickstand mount