

2026 Marin Rift Zone 2 - Grey/Blue - Specifications

Spec and price beign subject to change without notification

Frame

Series 3 6061 Aluminum Frame, 29" Wheels, 130mm Travel, MultiTrac Suspension Platform, 148x12mm Boost Thru-Axle, 73mm Threaded BB w/ ISCG05 Tabs

Front Suspension

Marzocchi Bomber Z2 29", Rail Damper with Sweep Adjustment, 140mm Travel, Kabolt Bolt-On Axle, 44mm Offset

Rear Suspension

RockShox Deluxe Select RT, Debonair Air Sleeve, Rebound Adjustment, Custom Tune, 210x50mm, M8x25mm Hardware

Rim

Marin, Double Wall Alloy, 29mm Inner, Pinned Joint, Disc Specific, 32H, Tubeless Compatible

Hub Rear

Shimano FH-TC500, 148x12mm, Disc, HG Freehub Body

Hub Front

Shimano HF-MT410B, 110x15mm, Centerlock

Spokes

14g Black Stainless Steel

Tires

Vee Tire Snap WCE 2.35", Top 40 Compound, GXE Core, 90 TPI, Tubeless compatible

Derailleur Rear

Shimano Deore, 12-Speed, SGS

Shift Lever

Shimano Deore, 12-Speed, SL-M6100-R

Crankset

FSA Comet, Modular 1x, 32T Direct Mount Chainring, MegaTooth Technology, Boost Spacing

Bottom Bracket

External Sealed Cartridge Bearing

Chain

KMC X-12 Silver and Black

Cassette

Sunrace, 12-Speed, 11-51T

Brakes Front

Tektro HD-M535 Hydraulic Disc, 180mm Rotor

Brakes Rear

Tektro HD-M535 Hydraulic Disc, 180mm Rotor

Brake Levers

Tektro HD-M535, 180mm Rotor

Handlebar

Marin Mini-Riser, 6061 Double Butted Aluminum, 780mm Width, 28mm Rise, 5° Up, 9° Back

Stem

Marin 3D Forged Alloy, 35mm

Grips

Marin Grizzly Lock On

Headset

FSA No 57E, Semi-Sealed Cartridge Bearings, 1 1/8" x 1 1/2"

Seatpost

X-Fusion Manic, 1x Composite Remote, Size S 150mm Travel, Size M-XL 170mm Travel, 30.9mm

Saddle

Marin Speed Concept

Extras

Bolt-On 12mm Thru-Axle, 174mm Length, 1.0 Thread Pitch, 16.5mm, Tapered Head