

# 2026 Marin Rift Zone 2 - Gloss Grey/Red - Specifications

Spec and price beign subject to change without notification

## Fork

Marzocchi Bomber Z2 29", Rail Damper with Sweep Adjustment, 140mm Travel, Kabolt Bolt-On Axle, 44mm Offset

## Frame

Series 3 6061 Aluminum Frame, 29" Wheels, 130mm Travel, MultiTrac Suspension Platform, 148x12mm Boost Thru-Axle, 73mm Threaded BB w/ ISCG05 Tabs

## Rear Suspension

RockShox Deluxe Select RT, Debonair Air Sleeve, Rebound Adjustment, Custom Tune, 210x50mm, M8x25mm Hardware

## Rim

Marin, Double Wall Alloy, 29mm Inner, Pinned Joint, Disc Specific, 32H, Tubeless Compatible

## Hub Rear

Shimano HB-MT410B, 148x12mm, Centerlock, Microspline Freehub Body

## Hub Front

Shimano HF-MT410B, 110x15mm, Centerlock

## Spokes

14g Black Stainless Steel

## Tires

Vee Tire Flow Snap 29x2.35", Tackee Compound, Tubeless Ready

## Derailleur Rear

Shimano Deore, 12-Speed, SGS

## Shift Lever

Shimano Deore, 12-Speed, SL-M6100-R

## Crankset

FSA Comet, Modular 1x, 32T Direct Mount Chainring, MegaTooth Technology, Boost Spacing

## **Bottom Bracket**

External Sealed Cartridge Bearing

## **Chain**

KMC X-12 Silver and Black

## **Cassette**

Shimano, Deore M6100, 12-Speed, 10-51T

## **Brakes Front**

Shimano BR-MT200 Hydraulic Disc, 180mm Rotor

## **Brakes Rear**

Shimano BR-MT200 Hydraulic Disc, 180mm Rotor

## **Brake Levers**

Shimano BL-MT201

## **Handlebar**

Marin Mini-Riser, 6061 Double Butted Aluminum, 780mm Width, 28mm Rise, 5° Up, 9° Back

## **Stem**

Marin 3D Forged Alloy, 35mm

## **Grips**

Marin Grizzly Lock On

## **Headset**

FSA No 57E, Semi-Sealed Cartridge Bearings, 1 1/8" x 1 1/2"

## **Seatpost**

TranzX, YSP18JL, 1x Remote, Size S 150mm Travel, All Other Sizes 170mm Travel, 30.9mm

## **Saddle**

Marin Speed Concept

## **Extras**

Bolt-On 12mm Thru-Axle, 174mm Length, 1.0 Thread Pitch, 16.5mm, Tapered Head