

2026 Marin RIFT Zone JR 26 - Green/ Yellow Fade - Specifications

Spec and price beign subject to change without notification

Frame

Series 3 6061 Aluminum, 26" Wheels, 130mm Travel, MultiTrac Suspension Platform, 148x12mm Boost Thru-Axle, 73mm Threaded BB w/ ISCG05 Tabs

Front Suspension

X-Fusion Velvet RLC 26", 130mm Travel, Compression and Rebound Adjustment, 100x15mm Thru-Axle

Rear Suspension

X-Fusion O2 Pro R, 190x45mm, Custom Tune, M8x22.2mm Hardware

Rim

Marin, Double Wall Alloy, 27mm Inner, Pinned Joint, Disc Specific, Tubeless Compatible

Hub Rear

Shimano HB-MT200B, 141 QR, Centerlock, Standard Freehub Body

Hub Front

Shimano HF-MT400B, 100x15mm, Centerlock

Spokes

14g Stainless Steel

Tires

Vee Tire Co, Flow Snap 26x2.4", Tackee Compound, Wire Bead

Derailleur Rear

Shimano RD-U6000, 11-Speed GS

Shift Lever

Shimano, SL-U6000-11R, 11-Speed

Crankset

Marin Forged Alloy, Integrated Steel 32T Narrow Wide Chainring, 170mm Crank Length, Boost Spacing

Bottom Bracket

External Sealed Cartridge Bearing

Chain

Shimano LG-500 11-Speed

Cassette

Shimano CS-LG400-11, 11-Speed, 11-50T

Brakes Front

Tektro HD-M280 Hydraulic Disc, 180mm Rotor

Brakes Rear

Tektro HD-M280 Hydraulic Disc, 180mm Rotor

Brake Levers

Tektro HD-M280

Handlebar

Marin Mini-Riser, 6061 Double Butted Aluminum, 12mm Rise, 720mm Width, 4° Up, 9° Back

Stem

Marin 3D Forged Alloy, 35mm

Grips

Marin MTN, Closed End

Headset

FSA No 57E, Semi-Sealed Cartridge Bearings, 1 1/8" x 1 1/2"

Seatpost

X-Fusion Manic LC, 1x Composite Remote, 100mm

Saddle

Marin Speed Concept

Extras

Closed 9-12 Thru-Axle Bolt On System