


GEOMETRY & SIZE CHART




TAZER WITH 279 REAR	SM	MD	LG	XL
Reach	430mm	460mm	480mm	505mm
Headtube Angle	64.5°	64.5°	64.5°	64.5°
Seattube Angle (Effective)	77.9°	77.9°	77.9°	77.9°
Seattube Angle (Actual)	72.8°	72.8°	72.8°	72.8°
Wheelbase	1205.4mm	1241.9mm	1266.1mm	1293.3mm

Chainstay Length	445mm	445mm	445mm	445mm
Front Center	756mm	792.5mm	816.8mm	843.9mm
BB Height	342mm	342mm	342mm	342mm
Stack	614.3mm	627.8mm	636.8mm	641.4mm
Toptube Length	560.9mm	595mm	617.8mm	644.2mm
Headtube Length	100mm	115mm	125mm	130mm
BB Drop Front Wheel	33mm	33mm	33mm	33mm
BB Drop Rear Wheel	13mm	13mm	13mm	13mm
Seattube Length	405mm	415mm	445mm	470mm
Max Seatpost Insertion Depth	(S) 220mm	(M) 230mm	(L) 250mm	(XL) 280mm

*Based Off a 571mm axle to crown, 44mm offset fork // **Based off Front tire OD of 750mm, Rear tire OD of 715mm

TAZER WITH 29 REAR	SM	MD	LG	XL
Reach	430mm	460mm	480mm	505mm
Headtube Angle	64.5°	64.5°	64.5°	64.5°
Seattube Angle (Effective)	77.9°	77.9°	77.9°	77.9°
Seattube Angle (Actual)	72.8°	72.8°	72.8°	72.8°
Wheelbase	1206mm	1242.5mm	1266.8mm	1293.9mm
Chainstay Length	450mm	450mm	450mm	450mm
Front Center	756mm	792.5mm	816.8mm	843.9mm
BB Height	342mm	342mm	342mm	342mm
Stack	614.3mm	627.8mm	636.8mm	641.4mm
Toptube Length	560.9mm	595mm	617.8mm	644.2mm
Headtube Length	100mm	115mm	125mm	130mm
BB Drop	33mm	33mm	33mm	33mm
Seattube Length	405mm	415mm	445mm	470mm
Max Seatpost Insertion Depth	(S) 220mm	(M) 230mm	(L) 250mm	(XL) 280mm

*Based Off a 571mm axle to crown, 44mm offset fork // **Based off Front tire OD of 750mm, Rear tire OD of 750mm



NOTE: SIZING IS A PERSONAL PREFERENCE AND THIS IS MEANT AS A GENERAL GUIDE