

LOOK



us

765 GRAVEL RS



765 GRAVEL RS



NEW PLAYGROUND

LEAVE THE ROADS BEHIND

The 765 GRAVEL family has been designed for the discerning gravel rider in pursuit of endless roads, miles of boundless adventure or pure speed and control once a number has been pinned on.


The family includes RS, non RS or electric versions and has been designed from the ground up as a dedicated gravel platform. No stone has gone unturned in the pursuit of creating the ultimate performance gravel bike for weekend warriors, gravel purists or seasoned racers in search of marginal gains.



GRAVEL SPECIFIC CARBON LAYUP

Drawing on our experience in working with carbon, we developed a unique layup exclusively for the 765 GRAVEL RS. By optimizing fiber orientations and a specific combination of carbon - 35% HM, 40% IM, 10% HR & 15% specific fibre - we were able to maximize pedaling performance, while preserving ride comfort.





CARBON CORE

DESIGNED & MANUFACTURED BY LOOK

Since LOOK's beginning in the cycling world, at a time when metal was king, our material of choice has always been carbon. For over 30 years, we have developed - within our own factories - a unique expertise and an extensive know-how in carbon fiber technologies to achieve highly-specific and performance-oriented properties.



3D WAVE STAYS

The stays are designed with 2 deflection points that enable a 15% increase in the natural compliance of the carbon.

Furthermore, by flattening the tube its vertical movement can be improved while increasing its lateral rigidity. These uniquely shaped seat stays filter shock while increasing traction and control on rough terrain, without increasing the frame's weight.





TIRE CLEARANCE

Clearance for 700x40 or 650x2.1 tires. The stock 700x40mm tires provide a balance between road performance and off-road comfort and traction. 50% road use, 50% off-road use.

Capable of accommodating other types of wheel and tyre:

Road-type wheels: 700 x 28 or 32 mm. Fitted with this type of tyre cross-section, with a prescribed pressure of between 4 and 6 bars, it can rival the performance of a bike designed exclusively for the road. 100% road use

650B x 2.1 mountain bike-style wheels. By reducing the diameter of the rim, a wider tyre of up to 54 mm can be mounted. All-terrain then takes the upper hand, for 70% track, 30% road use.



DIRECT DRIVE CONCEPT

The integrated stem is designed to compliment the frame's aesthetic and to be both lightweight and rigid to ensure precise bike handling. The DIRECT DRIVE concept enables the simultaneous development of all steering components (fork, headset, stem and handlebars). This ensures that there is no apparent loss of rigidity in the cockpit and provides a real sense of security and performance.



ADVENTURE READY

The frame features mounting points for up to 4 water bottles (3 inside the main triangle and one on the bottom of the downtube) as well as a bento style box on the top tube. With multiple water bottle mounts riders can dial in their optimal setup.



DESIGNED FOR PERFORMANCE
SPORTS ENDURANCE GEOMETRY

**HIGH MODULUS
CARBON FRAME
AND FORK**

**DIRECT DRIVE INTEGRATED STEM FOR
FLAWLESS CONTROL**

15%
**MORE FLEXIBLE
SEATSTAYS : 3D DOUBLE WAVE**

390 g
FORK WEIGHT

1,2 kg
FRAME WEIGHT


DESIGNED FOR VERSATILITY
WIDE WHEEL ARCH
12 BOTTLE CAGE INSERTS FOR ADVENTURE



765 GRAVEL RS

GEO ME TRY

GRAVEL



765 GRAVEL GEOMETRY WHEELS DIAMETER IN MM : 700

	Stack (mm)	Reach (mm)	I (°) (mm)	J (°) (mm)	A (mm)	B (mm)	C (mm)	D (mm)	F (mm)	G (mm)	K (mm)	L (mm)	HAV (mm)
XS	530,0	355,0	70,3	74,0	470,0	507,0	577,0	72,0	50,0	420,0	111,5	395,0	70,0
S	554,0	365,0	70,3	74,0	490,0	524,0	595,5	72,0	50,0	420,0	137,0	395,0	70,0
M	578,0	375,0	70,3	73,0	510,0	552,0	614,0	72,0	50,0	420,0	162,5	395,0	70,0
L	602,0	385,0	70,3	73,0	535,0	569,0	632,5	72,0	50,0	420,0	188,0	395,0	70,0
XL	626,0	395,0	70,3	73,0	560,0	586,5	651,0	72,0	50,0	420,0	213,5	395,0	70,0

765 GRAVEL RS

| SRAM FORCE ETAP 2X12 | CARBON CHAMPAGNE GLOSSY



MOUNTING

CRANKSET	FORCE WIDE CARBON 43X30T GLOSS (XS-S 170 mm / M-L 172,5 mm / XL 175 mm)
BB	BB 386 / SRAM DUB
CHAIN	SRAM FORCE 12 S
CASSETTE	SRAM FORCE PG 1270 10X36
SHIFTERS	SRAM FORCE ETAP WIRELESS
DERAILLEUR	SRAM FORCE ETAP WIDE GLOSS
BRAKES	SRAM FORCE DISC HYDRAU FLAT MOUNT
ROTORS	SRAM CENTERLOCK CENTERLINE F: 160 mm R : 140 mm
THRU AXLE	SPEED RELEASE READY 142X12 R / 100X12 F
SEATPOST	LOOK LS1 CARBON SUPERLIGHT 27.2 mm x 350 mm
SADDLE	LOOK BY SAN MARCO SHORT FIT CARBON FX NARROW OPEN FIT
STEM	LOOK LDS (XS-S 80 / M 90 / L 100 / XL 110)
H-BAR	LOOK LS2 ALLOY GRAVEL 12° FLARE (XS-S 40 / M-L 42 / XL 44)
WHEELS	MAVIC ALL ROAD DISC CL TUBELESS (TUBELESS)
TIRES	HUTCHINSON TOUAREG 700 X 40 TAN TUBELESS READY (BIKE DELIVERED WITH INNER TUBE)
WEIGHT	8,5 kgs* (SIZE M / WITHOUT PEDALS) *ESTIMATE

765 GRAVEL RS

| SHIMANO GRX 810 2X11 | BLACK RED GLOSSY



MOUNTING

CRANKSET	SHIMANO GRX 810 48X31 (XS-S 170 mm / M-L 172,5 mm / XL 175 mm)
BB	BB 386 / TOKEN NINJA TF 38624
CHAIN	SHIMANO HG 701
CASSETTE	SHIMANO HG 800 11X34
SHIFTERS	SHIMANO GRX 810
DERAILLEUR	SHIMANO GRX 810
BRAKES	SHIMANO RX 810 DISC HYDRAU FLAT MOUNT
ROTORS	SHIMANO MT 800 F: 160 mm R : 140 mm
THRU AXLE	SPEED RELEASE READY 142X12 R / 100X12 F
SEATPOST	LOOK LS2 CARBON 27.2 mm x 350 mm
SADDLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM	LOOK LDS (XS-S 80 / M 90 / L 100 / XL 110)
H-BAR	LOOK LS2 ALLOY GRAVEL 12° FLARE (XS-S 40 / M-L 42 / XL 44)
WHEELS	SHIMANO RX 570 DISC CL (TUBELESS)
TIRES	HUTCHINSON TOUAREG 700 X 40 TAN TUBELESS READY (BIKE DELIVERED WITH INNER TUBE)
WEIGHT	8,9 kgs* (SIZE M / WITHOUT PEDALS) *ESTIMATE

765 GRAVEL RS

| CARBON CHAMPAGNE GLOSSY

SKU | 24491 (FOR M SIZE)**MOUNTING****FRAME**

UD CARBON-FINISH HIGH MODULUS CARBON FRAME. ULTRA LIGHT HIGH MODULUS CARBON FORK. ULTRA LIGHT INTEGRATED HEADSET
COMPATIBLE SEAT POST DIAMETER 27.2 MM

BB

BB 386

THRU AXLE

SPEED RELEASE READY THRU-AXLE SYSTEM (WITHOUT LEVERS, ADJUSTABLE USING 6 MM ALLEN KEYS) (100MM X D12 - M12 X 2 - P1 DOUBLE LEAD THREAD THRU/ 142MM X D12 - M12 X 2 - P1 DOUBLE LEAD THREAD THRU)

TIRES

COMPATIBLE WITH TIRES WITH A MAXIMUM OF 700MM X 40MM OR 27,5 X 2,1

765 GRAVEL RS

| BLACK RED GLOSSY

SKU | 24496 (FOR M SIZE)**MOUNTING****FRAME**

UD CARBON-FINISH HIGH MODULUS CARBON FRAME. ULTRA LIGHT HIGH MODULUS CARBON FORK. ULTRA LIGHT INTEGRATED HEADSET
COMPATIBLE SEAT POST DIAMETER 27.2 MM

BB

BB 386

THRU AXLE

SPEED RELEASE READY THRU-AXLE SYSTEM (WITHOUT LEVERS, ADJUSTABLE USING 6 MM ALLEN KEYS) (100MM X D12 - M12 X 2 - P1 DOUBLE LEAD THREAD THRU/ 142MM X D12 - M12 X 2 - P1 DOUBLE LEAD THREAD THRU)

TIRES

COMPATIBLE WITH TIRES WITH A MAXIMUM OF 700MM X 40MM OR 27,5 X 2,1

A high-angle, rear-view photograph of a cyclist riding a gravel bike on a wide, unpaved gravel path. The cyclist is wearing a black helmet, a black short-sleeved jersey, and black shorts. The bike is a gravel bike with a dark frame and wide tires. The path is composed of light-colored gravel and dirt, and the cyclist is kicking up a significant amount of dust, which is visible as a hazy cloud behind the bike. The lighting is bright, creating a long shadow of the cyclist and the bike on the gravel path. The overall scene conveys a sense of motion and outdoor activity.

E-765 GRAVEL



AN ELECTRIC EXPERIENCE

E-765 GRAVEL


REDISCOVER OFF-ROAD

Imagine a bicycle capable of taking you effortlessly anywhere you wished to go... It would be the E-765 Gravel. From pavement, to rough gravel roads and everything in between, nothing is too much thanks to a powerful and robust electric motor. Without sacrificing weight or looks, the bike will show you the world in a different light. It is quite possibly the most versatile bike ever designed.

Through the streets of the city or the winding backroads, for recreation and freedom or for racing... simply blend your muscle power with the bike's electric assist and enjoy the best of all worlds. The E-765 GRAVEL brings a whole new dimension to bike riding.










FAZUA MOTOR & DETACHABLE BATTERY

The German company, an expert in the development of the electric motor since 2013, has developed the most complete motor currently available on the market. Combine this motor unit with the MADE BY LOOK carbon frame seemed an obvious choice ever since the early design stages.

A detachable motor and battery only make sense if you can remove them from your bike for a lighter ride whenever you want. Designed as a single unit, the FAZUA electrical assistance used in the E-765 GRAVEL allows for the option of leaving the electrical unit at home.





BATTERY

- 1.4 KG
- LITHIUM ION
- 250W
- 7AH, 36V
- DEEP SLEEP AFTER 8 HOURS
- ~3,5H CHARGING TIME
- FAZUA CHARGER



DRIVEPACK

- 1.9 KG
- MOTOR WITH 250 W (PEAK 400 W)
- SUPPORT – 25 KM/H
- USB INTERFACE
- USE BOTH HANDS
- INSERTING: LOCKS IN PLACE AUDIBLY
- REMOVE: LIGHTEN LOCK

BOTTOM BRACKET

- 1.3 KG
- BOTH SIDED TORQUE MEASUREMENT
- 55NM (PEAK 60NM)
- STANDARD BCD 104 OR BCD 110



AMAZINGLY LIGHT

The E-765 GRAVEL weighs in at 13.9 kg on average. This remove is achieved thanks to the compact 250 W motor unit developed by FAZUA, which drastically reduces the weight of the battery motor assembly, which does not exceed 4.6 kg, combined with the light weight of the carbon. This FAZUA drive system, which is the lightest and most compact in its category, enables cyclists to easily achieve an assisted speed of 25 km/h.





IMPRESSIVE PEDALLING ASSISTANCE

The low total weight produces a ride sensations that is close to that of a traditional bike. The neutrality of the motor interruption at 25 km/h is impressively fluid. There is no noticeable pedal resistances at speeds greater than this.

The remote control located on the handlebar enables precise control of the electrical assistance. There are 4 available modes: 0 W mode where you rely solely on your legs, two intermediate modes with respective power ratings of 125 W and 250 W, and finally, rocket mode, which can reach a maximum power of 400 W.

Control your range by making use of both muscle and electrical power. An average range of 86 kilometres has been recorded for mixed use, while this figure is 32 kilometers in the mountains and 53 in the city.





CONNECTED BIKE

The free application offered by FAZUA converts the E-765 GRAVEL into a connected bike. Connected directly to the battery, track its life and charge status, as well as its temperature.

Including navigation and GPS tracking, the app can offer several routes to a chosen destination, stating the vertical chance and the distance that can be covered based on the battery charge status. Analyse your journeys in real time using the speedometer, and after your ride, by consulting a summary of your efforts.



13,9 KG

MADE BY LOOK
DESIGNED AND PRODUCED IN OUR
OWN LOOK MANUFACTURES

**DIRECT DRIVE INTEGRATED STEM
FOR FLAWLESS CONTROL**

15%

**MORE FLEXIBLE
SEATSTAYS : 3D DOUBLE WAVE**

**HIGH MODULUS
CARBON FRAME
AND FORK**



DESIGNED FOR VERSATILITY
WIDE WHEEL ARCH
BOTTLE CAGE INSERTS FOR ADVENTURE


250 W

**REPLACEABLE / REMOVABLE BATTERY
INTEGRATED MOTOR & BATTERY**

E-765 GRAVEL

GEO ME TRY

E-GRAVEL



E-765 GRAVEL GEOMETRY WHEELS DIAMETER IN MM : 700

	Stack (mm)	Reach (mm)	I (°) (mm)	J (°) (mm)	A (mm)	B (mm)	C (mm)	D (mm)	F (mm)	G (mm)	K (mm)	L (mm)	HAV (mm)
XS	530,0	355,0	70,3	74,0	470,0	507,0	577,0	72,0	50,0	420,0	111,5	395,0	70,0
S	554,0	365,0	70,3	74,0	490,0	524,0	595,5	72,0	50,0	420,0	137,0	395,0	70,0
M	578,0	375,0	70,3	73,0	510,0	552,0	614,0	72,0	50,0	420,0	162,5	395,0	70,0
L	602,0	385,0	70,3	73,0	535,0	569,0	632,5	72,0	50,0	420,0	188,0	395,0	70,0
XL	626,0	395,0	70,3	73,0	560,0	586,5	651,0	72,0	50,0	420,0	213,5	395,0	70,0

E-765 GRAVEL

| SRAM FORCE 1X11 | DARK BRONZE GLOSSY



MOUNTING

CRANKSET	FSA ALLOY 42T (XS-S 170 mm / M-L -XL 175 mm) BCD 104
BB	FAZUA ISIS AXLE
CHAIN	SRAM 11 S PC 1130
CASSETTE	SRAM FORCE CS PG 1170 11X36
SHIFTERS	SRAM FORCE 1
DERAILLEUR	SRAM FORCE 1 MEDIUM CAGE
BRAKES	SRAM FORCE
ROTORs	SRAM CENTERLOCK F : 160 mm R : 160 mm
THRU AXLE	SPEED RELEASE READY 142X12 R / 100 X 12 F
MOTOR	FAZUA EVATION 25 km/h (euro) 20 mph (US - CAN)
SEATPOST	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE	LOOK BY SAN MARCO SHORT FIT DYNAMIC NARROW OPEN FIT
STEM	LOOK LDS (XS 80 / S 90 / M 100 / L 110 / XL 120)
H-BAR	LOOK LS2 ALLOY GRAVEL 12° FLARE (XS-S 40 / M-L 42 / XL 44)
WHEELS	SHIMANO RS 370 TUBELESS
TIRES	WTB RIDDLER 700 X 37 TAN SIDEWALL TUBELESS READY (BIKE DELIVERED WITH INNER TUBE)
WEIGHT	13.9 kg* (SIZE M / WITHOUT PEDALS) * ESTIMATE

E-765 GRAVEL

| SRAM RIVAL 1X11 | FULL BLACK REFLECT GLOSSY



MOUNTING

CRANKSET	FSA ALLOY 42T (XS-S 170 mm / M-L -XL 175 mm) BCD 104
BB	FAZUA ISIS AXLE
CHAIN	SRAM RIVAL PC 1130
CASSETTE	SRAM RIVAL PG 1130 11X36
SHIFTERS	SRAM RIVAL 1
DERAILLEUR	SRAM RIVAL 1 MEDIUM CAGE
BRAKES	SRAM RIVAL 1 DISC HYDRAU FLAT MOUNT
ROTORs	SRAM CENTERLOCK F : 160 mm R : 160 mm
THRU AXLE	SPEED RELEASE READY 142X12 R / 100 X 12 F
MOTOR	FAZUA EVATION 25 km/h (euro) 20 mph (US - CAN)
SEATPOST	LOOK LS2 CARBON 27.2 mm 350 mm
SADDLE	FIZIK ANTARES R7
STEM	LOOK LDS (XS-S 80 / M 90 / L 100 / XL 110)
H-BAR	LOOK LS2 ALLOY GRAVEL 12° FLARE (XS-S 40 / M-L 42 / XL 44)
WHEELS	SHIMANO RS 171
TIRES	HUTCHINSON TOUAREG 700x40 TAN TUBELESS READY (BIKE DELIVERED WITH INNER TUBE)
WEIGHT	14,1 kg* (SIZE M / WITHOUT PEDALS) * ESTIMATE

765 GRAVEL RS

+ DESIGNED & MANUFACTURED BY LOOK

+ DESIGNED FOR PERFORMANCE
HIGH MODULUS CARBON FRAME AND FORK
DIRECT DRIVE INTEGRATED STEM
FOR FLAWLESS CONTROL
SPORTS ENDURANCE GEOMETRY

+ DESIGNED FOR VERSATILITY
15% MORE FLEXIBLE DAMPENING: 3D DOUBLE WAVE
WIDE WHEEL ARCH
12 BOTTLE CAGE INSERTS FOR ADVENTURE

E-765 GRAVEL

+ BATTERY REPLACEABLE / REMOOVABLE

+ INTEGRATED MOTOR AND BATTERY

CONTACT

LOOK CYCLE INTERNATIONAL
27 Rue du Docteur Léveillé - CS90013
58028 NEVERS CEDEX

Press Manager

Laura BOLTON
laura.bolton@shiftactivemedia.com

Global Communication Manager

Marie GUILLET
mguillet@lookcycle.fr

#RIDEYOURDREAM

lookcycle.com