



FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	X-TRACK
CLEATS / CALES	STANDARD CLEAT INCLUDED (EASY CLEAT AVAILABLE SEPARATELY)
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RETENTION / TENSION	6 to 14
BODY / CORPS	CARBON
SPINDLE / AXE	TITANIUM
PLATFORM AREA / SURFACE D'APPUI	515 mm ²
PLATFORM WIDTH / LARGEUR D'APPUI	60 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	16,8 mm (10,7 + 6,1 mm)
WEIGHT (PEDAL) / POIDS (PEDALE)	145 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	340 g
CLEATS WEIGHT (PAIR)	50 g
FLOAT ANGLE / LIBERTÉ ANGULAIRE	6°
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°



FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE

X-TRACK

CLEATS / CALES
STANDARD CLEAT INCLUDED
(EASY CLEAT AVAILABLE SEPARATELY)
CLEATS STANDARD / STANDARD DE CALES

SPD COMPATIBLE

RETENTION / TENSION

6 to 14

BODY / CORPS

CARBON

SPINDLE / AXE

CHROMOLY +

PLATFORM AREA / SURFACE D'APPUI
515 mm²
PLATFORM WIDTH / LARGEUR D'APPUI

60 mm

**STACK HEIGHT + CLEATS /
HAUTEUR D'APPUI + CALES**

16,8 mm (10,7+6,1 mm)

WEIGHT (PEDAL) / POIDS (PEDALE)

175 g

**WEIGHT PAIR + CLEATS /
POIDS PAIRE + CALES**

400 g

CLEATS WEIGHT (PAIR)

50 g

FLOAT ANGLE / LIBERTÉ ANGULAIRE

6°

RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE

13°



FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	X-TRACK
CLEATS / CALES	STANDARD CLEAT INCLUDED (EASY CLEAT AVAILABLE SEPARATELY)
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RETENTION / TENSION	6 to 14
BODY / CORPS	COMPOSITE
SPINDLE / AXE	CHROMOLY +
PLATFORM AREA / SURFACE D'APPUI	515 mm ²
PLATFORM WIDTH / LARGEUR D'APPUI	60 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	16,8 mm (10,7 + 6,1 mm)
WEIGHT (PEDAL) / POIDS (PEDALE)	182 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	415 g
CLEATS WEIGHT (PAIR)	50 g
FLOAT ANGLE / LIBERTÉ ANGULAIRE	6°
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°



FEATURES / CARACTÉRISTIQUES

TECHNOLOGY / TECHNOLOGIE	X-TRACK
CLEATS / CALES	STANDARD CLEAT INCLUDED (EASY CLEAT AVAILABLE SEPARATELY)
CLEATS STANDARD / STANDARD DE CALES	SPD COMPATIBLE
RETENTION / TENSION	6 to 14
BODY / CORPS	ALUMINIUM
SPINDLE / AXE	CHROMOLY +
PLATFORM AREA / SURFACE D'APPUI	350 mm ²
PLATFORM WIDTH / LARGEUR D'APPUI	57 mm
STACK HEIGHT + CLEATS / HAUTEUR D'APPUI + CALES	16,8 mm (10,7+6,1 mm)
WEIGHT (PEDAL) / POIDS (PEDALE)	200 g
WEIGHT PAIR + CLEATS / POIDS PAIRE + CALES	450 g
CLEATS WEIGHT (PAIR)	50 g
FLOAT ANGLE / LIBERTÉ ANGULAIRE	6°
RELEASE ANGLE / ANGLE DE DÉCHAUSSAGE	13°