

Geometry Chart (MM)

		S	M	L	XL
A	HEAD TUBE ANGLE (+0.6° HEADSET SETTING)	65.1 °	65.1 °	65.1 °	65.1 °
В	HEAD TUBE LENGTH	90.0 MM	100.0 MM	120.0 MM	135.0 MM
C	TOP TUBE HORIZONTAL	570.1 MM	602.2 MM	631.3 MM	659.3 MM
D	STANDOVER HEIGHT	728.5 MM	738.5 MM	753.5 MM	768.5 MM
E	BB OFFSET	-33.0 MM	-33.0 MM	-33.0 MM	-33.0 MM
F	BB HEIGHT	342.5 MM	342.5 MM	342.5 MM	342.5 MM
G	WHEEL BASE	1,182.0 MM	1,216.0 MM	1,249.0 MM	1,281.0 MM
Н	BB CENTER TO TOPTUBE CENTER				
I	BB CENTER TO TOP OF SEATTUBE	380.0 MM	410.0 MM	440.0 MM	470.0 MM
J	SEAT ANGLE	76.8 °	77.1 °	77.2 °	77.4 °
K	CHAINSTAY	440.0 MM	440.0 MM	440.0 MM	440.0 MM
L	REACH	430.0 MM	460.0 MM	485.0 MM	510.0 MM
M	STACK	617.0 MM	626.1 MM	644.2 MM	657.8 MM
N	STEM LENGTH	40.0 MM	40.0 MM	50.0 MM	50.0 MM
O	TRAIL	125.8 MM	125.8 MM	125.8 MM	125.8 MM
P	FORK LENGTH	571.0 MM	571.0 MM	571.0 MM	571.0 MM
Q	MAXIMUM SEATPOST INSERTION	173.0 MM	204.0 MM	234.0 MM	265.0 MM
R	CRANK LENGTH	170.0 MM	175.0 MM	175.0 MM	175.0 MM

Geometry Chart (INCHES)

		S	M	L	XL
A	HEAD TUBE ANGLE (+0.6° HEADSET SETTING)	65.1 °	65.1 °	65.1 °	65.1 °
В	HEAD TUBE LENGTH	3.5 IN	3.9 IN	4.7 IN	5.3 IN
C	TOP TUBE HORIZONTAL	22.4 IN	23.7 IN	24.9 IN	26.0 IN
D	STANDOVER HEIGHT	28.7 IN	29.1 IN	29.7 IN	30.3 IN
E	BB OFFSET	-1.3 IN	-1.3 IN	-1.3 IN	-1.3 IN
F	вв неібнт	13.5 IN	13.5 IN	13.5 IN	13.5 IN
G	WHEEL BASE	46.5 IN	47.9 IN	49.2 IN	50.4 IN
H	BB CENTER TO T1OPTUBE C1ENTER1				
I	BB CENTER TO TOP OF SEATTUBE	15.0 IN	16.1 IN	17.3 IN	18.5 IN
J	SEAT ANGLE	76.8 °	77.1 °	77.2 °	77.4 °
K	CHAINSTAY	17.3 IN	17.3 IN	17.3 IN	17.3 IN

L REACH	16.9 IN	18.1 IN	19.1 IN	20.1 IN
M STACK	24.3 IN	24.6 IN	25.4 IN	25.9 IN
N STEM LENGTH	1.6 IN	1.6 IN	2.0 IN	2.0 IN
O TRAIL	5.0 IN	5.0 IN	5.0 IN	5.0 IN
P FORK LENGTH	22.5 IN	22.5 IN	22.5 IN	22.5 IN
Q MAXIMUM SEATPOST INSERTION	6.8 IN	8.0 IN	9.2 IN	10.4 IN
R CRANK LENGTH	6.7 IN	6.9 IN	6.9 IN	6.9 IN