



Geometry Chart (INCHES)

		S	M	L	XL
A	head tube angle	69.5 °	69.5 °	69.5 °	69.5 °
B	head tube length	3.7 in	3.9 in	4.5 in	4.9 in
C	top tube horizontal	22.6 in	23.6 in	24.6 in	25.6 in
D	standover height	29.3 in	30.5 in	31.5 in	32.9 in
E	BB offset	-2.3 in	-2.3 in	-2.3 in	-2.3 in
F	BB height	12.3 in	12.3 in	12.3 in	12.3 in
G	wheel base	42.4 in	43.4 in	44.4 in	45.4 in
H	BB center to toptube center	12.8 in	14.8 in	16.3 in	18.3 in
I	BB center to top of seattube	15.4 in	17.3 in	18.9 in	20.9 in
J	seat angle	73.6 °	73.6 °	73.6 °	73.6 °
K	chainstay	16.7 in	16.7 in	16.7 in	16.7 in
L	reach	15.7 in	16.6 in	17.4 in	18.3 in
M	stack	23.6 in	23.8 in	24.3 in	24.7 in
N	stem length	2.4 in	2.8 in	3.1 in	3.5 in
0	trail	3.3 in	3.3 in	3.3 in	3.3 in

Geometry Chart (INCHES)

		S	M	L	XL
A	head tube angle	69.5 °	69.5 °	69.5 °	69.5 °
B	head tube length	3.7 in	3.9 in	4.5 in	4.9 in
C	top tube horizontal	22.6 in	23.6 in	24.6 in	25.6 in
D	standover height	29.3 in	30.5 in	31.5 in	32.9 in
E	BB offset	-2.3 in	-2.3 in	-2.3 in	-2.3 in
F	BB height	12.3 in	12.3 in	12.3 in	12.3 in
G	wheel base	42.4 in	43.4 in	44.4 in	45.4 in
H	BB center to toptube center	12.8 in	14.8 in	16.3 in	18.3 in
I	BB center to top of seattube	15.4 in	17.3 in	18.9 in	20.9 in
J	seat angle	73.6 °	73.6 °	73.6 °	73.6 °
K	chainstay	16.7 in	16.7 in	16.7 in	16.7 in
L	reach	15.7 in	16.6 in	17.4 in	18.3 in
M	stack	23.6 in	23.8 in	24.3 in	24.7 in
N	stem length	2.4 in	2.8 in	3.1 in	3.5 in

