


2026 Scott Addict 10 Bike - Plum Grey - Geometry



Geometrical Chart in MM

		XXS/47	XS/49	S/52	M/54	L/56	XL/58	XXL/61
A	head tube angle / angle tube de direction	71.3 °	71.8 °	72.0 °	72.2 °	72.5 °	73.0 °	73.0 °
B	head tube length / hauteur tube de direction	104.0 mm	115.0 mm	139.0 mm	161.0 mm	182.0 mm	201.0 mm	221.0 mm
C	top tube horizontal / longueur horizontale tube supérieur	511.0 mm	521.0 mm	536.0 mm	551.0 mm	566.0 mm	582.0 mm	597.0 mm
D	standover height / hauteur entre-jambes	742.0 mm	758.0 mm	780.0 mm	801.0 mm	821.0 mm	840.0 mm	865.0 mm
E	BB offset / deport axe de pédalier	-74.0 mm	-74.0 mm	-73.0 mm	-72.0 mm	-72.0 mm	-72.0 mm	-72.0 mm

F	BB height / hauteur axe de pédalier	275.0 mm	275.0 mm	276.0 mm	277.0 mm	277.0 mm	277.0 mm	277.0 mm
G	wheel base / entraxe roues	984.0 mm	991.0 mm	1,000.0 mm	1,009.0 mm	1,016.0 mm	1,022.0 mm	1,036.0 mm
H	BB center to toptube center / dist. boitier - milieu tube supérieur	425.0 mm	445.0 mm	465.0 mm	485.0 mm	505.0 mm	525.0 mm	555.0 mm
I	BB center to top of seattube / dist. boitier - sommet tube de selle	435.0 mm	455.0 mm	475.0 mm	495.0 mm	515.0 mm	535.0 mm	565.0 mm
J	seat angle / angle tube de selle	75.0 °	75.0 °	74.5 °	74.0 °	73.5 °	73.1 °	73.0 °
K	chainstay / longueur des bases	418.0 mm	418.0 mm	418.0 mm	418.0 mm	418.0 mm	418.0 mm	418.0 mm
L	reach / reach	372.0 mm	378.0 mm	382.0 mm	386.0 mm	389.0 mm	394.0 mm	402.0 mm
M	stack / stack	522.0 mm	534.0 mm	557.0 mm	578.0 mm	599.0 mm	619.0 mm	638.0 mm
N	stem length / longueur potence	70.0 mm	80.0 mm	80.0 mm	100.0 mm	100.0 mm	110.0 mm	110.0 mm
O	handlebar width / largeur du guidon	360.0 mm	380.0 mm	380.0 mm	400.0 mm	400.0 mm	400.0 mm	420.0 mm
P	cockpit reach / reach du cockpit	514.0 mm	531.0 mm	535.0 mm	558.0 mm	562.0 mm	577.0 mm	585.0 mm
Q	cockpit min. stack / hauteur minimale du cockpit	577.0 mm	591.0 mm	613.0 mm	638.0 mm	658.0 mm	680.0 mm	699.0 mm
R	crank arm length / longueur de manivelle	165.0 mm	165.0 mm	170.0 mm	170.0 mm	172.5 mm	172.5 mm	175.0 mm
S	fork offset / déport fourche	47.0 mm	47.0 mm	47.0 mm	47.0 mm	47.0 mm	47.0 mm	47.0 mm

Geometrical Chart in Inches

		XXS/47	XS/49	S/52	M/54	L/56	XL/58	XXL/61
A	head tube angle / angle tube de direction	71.3 °	71.8 °	72.0 °	72.2 °	72.5 °	73.0 °	73.0 °
B	head tube length / hauteur tube de direction	4.1 in	4.5 in	5.5 in	6.3 in	7.2 in	7.9 in	8.7 in
C	top tube horizontal / longueur horizontale tube supérieur	20.1 in	20.5 in	21.1 in	21.7 in	22.3 in	22.9 in	23.5 in
D	standover height / hauteur entre-jambes	29.2 in	29.8 in	30.7 in	31.5 in	32.3 in	33.1 in	34.1 in
E	BB offset / deport axe de pédalier	-2.9 in	-2.9 in	-2.9 in	-2.8 in	-2.8 in	-2.8 in	-2.8 in
F	BB height / hauteur axe de pédalier	10.8 in	10.8 in	10.9 in	10.9 in	10.9 in	10.9 in	10.9 in
G	wheel base / entraxe roues	38.7 in	39.0 in	39.4 in	39.7 in	40.0 in	40.2 in	40.8 in
H	BB center to toptube center / dist. boitier - milieu tube supérieur	16.7 in	17.5 in	18.3 in	19.1 in	19.9 in	20.7 in	21.9 in

