BLUR 90 TRAIL

Sizing & Geometry

Find your size

If you're on the cusp between the recommended height range of two sizes, the absolute best thing is to try to ride them both. At a minimum, check the stack/reach measurements on your current bike and compare it to the new model you are looking at to get an idea of a fit you are already comfortable with. If riding the bike is not an option, consider the following.

Personal Preference

A larger size frame will be more stable, and will give you more room to move without upsetting the weight-balance of the bike. The larger size will put the front wheel further in front of you, which gives the feeling of security and conversely, it will require more significant body movements when you WANT to shift the weight-bias of the bike. Think hard about your riding style and how active/intuitive you want it to be vs stable and speedy. You'll need to work a bit harder to muscle the larger bike around.

Body Dimension

Not all bodies at a given height are the same. If you have longer legs and a shorter torso than the average person your height, that may push you towards the smaller of the recommended sizes. If you're all torso and arms, most likely you'll want to size up.

Bike Geometry Blur XC

	S	m	l	xl
Reach	425	450	470	495
Stack	578.3	587.6	596.9	610.8
Head tube angle	68.3°	68.3°	68.3°	68.3°
Seat Tube Length	405	430	470	520
Front Center	685.8	714.5	738.2	768.7
BB Height	330.5	330.5	330.5	330.5
BB Drop	42	42	42	42
Wheel base	1115.8	1147	1173.2	1206.2
Rear Center	430	432.5	435	437.5
Headtube length	90	100	110	125
Top Tube Length	563.9	592.8	616.9	647.2
Seat Tube Angle	76.5°	76.3°	75.8°	75.7°
Standover Height	737	740	739	745

Bike Geometry Blur TR

	S	m	l	xl
Reach	412.3	437.8	457.5	482.5
Stack	587.4	597	606.5	620.7
Head tube angle	67.1°	67.1°	67.1°	67.1°

	S	m	l	xl
Seat Tube Length	405	430	470	520
Front Center	695	723.7	747.4	778
BB Height	339.9	339.7	339.6	339.4
BB Drop	32.6	32.8	32.9	33.1
Wheel base	1125.8	1157	1183.2	1216.3
Rear Center	430.8	433.3	435.8	438.3
Headtube length	90	100	110	125
Top Tube Length	568.4	597.3	621.4	651.7
Seat Tube Angle	75.1°	75°	74.9°	74.8°
Standover Height	744	746	745	750

All units are in millimeters or degrees.